

C-TENTS



Chinese

English

French

German

Hungarian

Italian

Russian

Slovenian

Spanish

Turkish


mobile space solutions
www.roder.com



RÖDER C-TENTS REQUIREMENTS & SOLUTIONS

2.000 m² USABLE AREA	15.000 m² USABLE AREA	6.000 m² USABLE AREA	2.500 m² USABLE AREA	7.500 m² USABLE AREA	20.000 m² USABLE AREA
2 Weeks TIME FRAME	3 Weeks TIME FRAME	2 Weeks TIME FRAME	3 Days TIME FRAME	4 Days TIME FRAME	5 Days TIME FRAME
800 PERSONS	360.000 PERSONS	2.500 PERSONS	1.500 PERSONS	1.200.000 PERSONS	80.000 VISITORS
5,0 x 5,0 m Cube tent DICE (6 Pcs.) TENT TYPE	3,0 x 3,0 m Highlight (30 Pcs.) 4,0 x 4,0 m Highlight (131 Pcs.) 5,0 x 5,0 m Highlight (74 Pcs.) 6,0 x 6,0 m Highlight (10 Pcs.) TENT TYPE	3,0 x 3,0 m Highlight (19 Pcs.) 4,0 x 4,0 m Highlight (90 Pcs.) 5,0 x 5,0 m Highlight (40 Pcs.) TENT TYPE	3,0 x 3,0 m Highlight (9 Pcs.) 5,0 x 5,0 m Highlight (25 Pcs.) TENT TYPE	4,0 x 4,0 m Highlight (20 Pcs.) 5,0 x 5,0 m Highlight (30 Pcs.) 10,0 x 10,0 m Highlight (25 Pcs.) TENT TYPE	5,0 x 5,0 m Cube tent DICE (60 Pcs.) TENT TYPE
Exclusive furnishing EQUIPMENT			Special designed roof construction EQUIPMENT		Individual and facade elements and roof tarpaulins EQUIPMENT
Elegant and high-profile Summer wedding in Switzerland	10 Experts on point SETUP AND TECHNIQUE CHIO Aachen	Full-Service SPECIAL FEATURE Company presentation followed by festival in Turkey	Summer Festival of the German Bundespräsident at the highest level	Four days city festival in Northern Germany	Fair in China





» COMPACT, CHEEKY AND PLAYFUL

The tents and hall systems RÖDER C-TENTS series are the perfect solution for any space requirement. Through it's compatibility impressive tents landscapes can be created.



RÖDER C-TENTS

FEEL-GOOD AND RELIABLE

The RÖDER C-TENTS are the small space wonders. As sassy and elegant space solutions, the systems provide a feel-good and harmonious image. The systems persuade optically, safety and economical. Due to the various sizes and heights, the pagodas are very versatile. In connection with other RÖDER tent and hall systems or in the extension with RÖDER C-TENTS tents fascinating landscapes can be designed. Due to the sustainable mobility and their elaborate designs, the systems can be installed quickly and at almost any location within a very short time.

In addition to the **Pagoda tent Highlight** and the **Cube tent DICE** the RÖDER Group offers an extensive range of accessories for extensions and options. Its portfolio ranges of facade elements, special doors and gates, various plan versions above ground, heating and lighting systems to custom-made furnishings.

Come and speak to us in person to find out which tent or marquee system best meets your requirements. The RÖDER team looks forward to helping you find the perfect accommodation!

» WIDE RANGE OF APPLICATIONS

The impressive RÖDER C-TENTS provide space for the design and realization of ideas and projects.



POSSIBLE APPLICATIONS

KICK-OFFS **CHRISTMAS MARKET KITCHEN** GALAS
CONCERTS COMPANY EVENTS ANNIVERSARIES FAIRS
PRODUCT PRESENTATION FESTIVALS VIP-EVENTS
SMOKING ROOM CORPORATE-EVENTS SALES PROMOTION
EVENTS EXHIBITIONS FESTIVALS SPORT EVENTS
SUMMER FESTIVALS SPECIAL SALES CAMPAIGN GALERIES MARKETS
ROADSHOWS FASHIONSHOWS **CATERING** MEETINGS **MARRIAGES**
CONGRESSES CITY FESTIVALS STORAGE BAR TICKETING
GRILLPARTY SHELTERING SPACE BIRTHDAYS **RESTAURANT**
CLUB WORKSHOP **SALES ROOM THEATRE PASSAGE SLUICE**

THE SYSTEM FOR MORE ROOM

The modular design of RÖDER C-TENTS is effective and efficient thanks to the wide range of possible uses. The tent and hall systems provide the right space solution for every requirement and every occasion.

EFFECTIVE AND EFFICIENT



» DIVERSE AND FORMABLE

RÖDER C-TENTS are the compact space solution for unlimited projects and requirements.



CREATIVE AND STIMULATING





» ONE PROFILE - VARIOUS MODELS

The RÖDER C-TENTS are available in the variants
Pagoda tent Highlight and Cube tent DICE .

TENT VARIANTS

1. Highlight

Spans
3,0 m | 4,0 m | 5,0 m
6,0 m | 8,0 m | 10,0 m

2. Cube tent DICE

Spans
3,0 m | 4,0 m | 5,0 m



INFORMATION

All tent variations are available with different side panels. Individual spans, lengths, side heights and grid dimensions are possible as a special order. Detailed information is described in the technical data sheet on the following pages.

» UNIQUE AND DISTINCTIVE

The wrinkle-free membrane of the roof construction and the patented double keder technique characterize the RÖDER Pagoda Highlight.



RÖDER PAGODA TENT HIGHLIGHT

ELEGANT STRETCHED

The RÖDER Pagoda tent Highlight is built to the latest building standards and latest specifications of decisive countries. This allows an international installation on almost all public events. The proven and certified quality management systems of the RÖDER group of European Standard EN ISO 9001:2008 and EN ISO 14001:2009 ensure high quality, durability and stability.

With impressive and innovative features, the RÖDER Highlight secures pole position in international comparison. Perhaps one reason why the pagodas of RÖDER carry the designation „highlight“ in its name. It is characterized by high, wrinkle-free membrane of the roof tarpaulin and the patented double keder technique, enabling quick and easy assembly.




For a safe, stable and easy connection of the respective elements rocker pins are used. The fixing of the roof overhang via a strap system with five attachment points. In addition, you can access devices and terminals for the expansion of the extensive accessories. For example, a roof liner, sound and lighting technology, or a gutter system can be installed with little effort. Also located in the roof top is a thread to receive flags.



TECHNICAL
DATA

RÖDER PAGODA TENT HIGHLIGHT

STANDARD VERSION				
Span	300 cm	400 cm	500 cm	600 cm
Side height	229 cm	229 cm	229 cm	229 cm
Ridge height	299 cm	322 cm	345 cm	368 cm
High point	396 cm	458 cm	516 cm	565 cm
Bay distance / grid	300 cm	400 cm	500 cm	600 cm
Longest profile	303 cm	403 cm	503 cm	603 cm
Main profile	81 x 48 x 3 mm / 94 x 48 x 3 mm			
Corner connections	Stem bolts			
Attachment option	The pagoda tent can be extended to any length and shape by gutters with other tents of the same type (6 x 6 up to 72m²)			
Hint	In this type of tent, a adjustment of the side posts of about 10 cm for height adjustment is possible			
Special design	Elimination of anchorage through the installation of the steel aluminum floor with ballast or compact floor			
Floor	<ul style="list-style-type: none">Wood floor with timber or steel-aluminum substructureCassette flooringCompact floor			
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204			



QUESTIONS AND COMMENTS




We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



TECHNICAL
DATA

RÖDER PAGODA HIGHLIGHT

STANDARD VERSION		
Span	800 cm	1.000 cm
Side height	240 cm / 300 cm	240 cm / 300 cm
Ridge height	382 cm / 448 cm	422 cm / 485 cm
High point	622 cm / 682 cm	659 cm / 719 cm
Bay distance / grid	400 cm	500 cm
Longest component	567 cm	714 cm
Main profile	130 x 70 x 3 mm	
Corner connections	Internal eaves	
Attachment option	The pagoda tent can be extended to any length and shape by gutters with other tents of the same type (6 x 6 up to 72m²)	
Hint	In this type of tent, a adjustment of the side posts of about 10 cm for height adjustment is possible	
Special design	Elimination of anchorage through the installation of the compact floor	
Floor	<ul style="list-style-type: none">• Wood floor with timber or steel-aluminum substructure• Cassette flooring• Compact floor	
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204	



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



EQUIPMENT FEATURES

RÖDER PAGODA TENT HIGHLIGHT

FLEXIBLE AND MODULAR

PATENTED DOUBLE KEDER TECHNIQUE

The RÖDER HIGHLIGHT can be quickly and easily assembled and disassembled by the patented double keder system. The well-designed combination of supporting and connecting elements guarantees a proven high level of structural stability. Many optional pieces of equipment and tent components can be added to the standard scope of delivery. RÖDER C-TENTS are flexible and modular by its extensive equipment options.



1. Patented double keder technique

The patented double keder technique connects the roof tarpaulin with the frame construction.

2. Roof tarpaulin

Above the covering function a wrinkle-free roof membrane is produced.

3. Electronic smoke extraction

The four fans provide a fast smoke and odor extraction. (Special equipment)

4. Connection elements

Plug-in elements and rocker pins enable a quick and easy installation.

5. Floor systems

The various anchoring and ground systems guarantee a safe stability

6. Roof and side tarpaulin

Impressive atmosphere through transparent roof and side tarpaulins,.



INCLUDED IN DELIVERY

Frame construction with anodised aluminum profiles

White roof tarpaulins with double keder system

White side tarpaulins with central divisions

Ground bars for the side tarpaulins

Pegs and telescopic leg

SPECIAL EQUIPMENT

Windows for the side tarpaulins

Various floor and wall systems

Facade elements ALEA 2.0 and ATTIKA

Various ways of setting up or remodeling the tents

Conversion kit to smoking tent

Different door variants

Gutter system

Interior decoration and lighting

DESCRIPTION OF FRAME MATERIAL

Anodized and high strength aluminum profile

Connecting elements made of aluminum and galvanised steel

DESCRIPTION OF TARPAULIN MATERIAL

RÖDER No. 1, PVDF-coated tarpaulin manufactured according to DIN 18204

Classified as 'difficult to ignite' by DIN 4102 and EN 13501

Dirt-repellent and lightfast


Lets daylight through and is UV-resistant

Low-wick coated polyester threads



» QUADRATIC AND PRACTICAL

With the cubic form and the brilliant roof construction the DICE of the RÖDER C-TENTS sets unusual accents.



CUBE TENT DICE

DIFFERENT BUT SPECIAL

Based on the characteristic design and conspicuous construction, the Cube tent DICE of the RÖDER C-TENTS series is different, but special for unusual requirements. The square interior layout with a side height of 3.0 meters offers freedom in the design, implementation and possible applications. With different, transparent, colored or custom-printed wall and roof tarpaulins, facade elements, window and door systems specific requirements and space solutions can be created.

The roof tarpaulin, a double skin air-filled PVC tarpaulin is curved inwards and outwards and lies almost invisible on the frame construction. Via an air unit that is included, the impressive form is stretched. The slightly rounded roof is visually as well as decoratively a highlight.




The RÖDER DICE is built to the latest building standards and latest specifications of decisive countries. This allows an international installation on almost all public events. The proven and certified quality management systems of the RÖDER group of European Standard EN ISO 9001:2008 and EN ISO 14001:2009 ensure high quality, durability and stability.



TECHNICAL DATA

RÖDER CUBE TENT DICE

STANDARD VERSION			
Span	300 cm	400 cm	500 cm
Side height	300 cm	300 cm	300 cm
Ridge height	350 cm	355 cm	360 cm
Bay distance / grid	300 cm	400 cm	500 cm
Longest component	300 cm	400 cm	500 cm
Main profile	110 x 68 x 3 mm		
Corner connection	Stem bolts		
Attachment options	The Cube tent DICE can be extended to any length and shape by gutters with other tents of the same type		
Hint	In this type of tent, a adjustment of the side posts of about 10 cm for height adjustment is possible		
Special design	Elimination of anchorage through the installation of the steel aluminum floor with ballast		
Floor	<ul style="list-style-type: none">Wood floor with timber or steel-aluminum substructureCassette flooringCompact floor		
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204		



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



EQUIPMENT FEATURE CUBE TENT DICE

CLEVER ALTERNATIVE

The Cube tent DICE of RÖDER is a clever alternative in the fields of presentation, event and fair area. The well-designed combination of supporting and connecting elements guarantees a proven high level of structural stability. Many optional pieces of equipment and tent components can be added to the standard scope of delivery. RÖDER C-TENTS are flexible and modular by its extensive equipment options.



1. Roof tarpaulin and connection elements

Compressed air valve of the double-shell PVC roof sheet / Quick installation with rocker pins.

2. Stability

RÖDER guarantees a high level of stability on almost any terrain.

3. Accessories

Versatile accessories such as the facade element ATTIKA.

4. Roof and side tarpaulin

Impressive ambience by various roof and side tarpaulins as well as facade systems.

INCLUDED IN DELIVERY

Frame construction with anodised aluminum profiles

White, double skin air cushion tarpaulin with Keder guying; including electronic air unit

White side tarpaulins with central divisions

Ground bars for the side tarpaulins and pegs

SPECIAL EQUIPMENT

Windows for the side tarpaulins

Various floor and facade systems

Different types of doors

Fixed anchors for the roof tarpaulins

Interior decoration and lighting

ATTIKA

DESCRIPTION OF FRAME MATERIAL

Anodized and high strength aluminum profile

Connecting elements made of aluminum and galvanised steel

DESCRIPTION OF TARPAULIN MATERIAL

RÖDER No. 1, PVC-coated tarpaulins manufactured according to DIN 18204

Classified as 'difficult to ignite' by DIN 4102 and EN 13501

Dirt-repellent and lightfast

Lets daylight through and is UV-resistant

Low-wick coated polyester threads



DURABLE AND
HIGH-QUALITY



TECHNICAL FEATURES

DECADES OF EXPERIENCE

The RÖDER Group uses only the most qualified staff, the best materials and constantly draws on its decades of experience in the field of temporary accommodation – right from the very start of the construction and production process of the tent and marquee systems. We achieve high customer satisfaction through quality and safety. Continuous and reliable quality management means we can place our trust in the materials we use. The RÖDER Group is certified according to the European standards EN ISO 9001:2008 and EN ISO 14001:2009. All structures are calculated and tested in accordance with the European standard EN 13782.



3. Logistics

Specialist partners take on the task of transporting the tent and marquee systems. As a trusted and known dispatcher, RÖDER benefits from a fast-track customs clearance process. This guarantees a just-in-time availability worldwide.

4. Production

RÖDER production is respectful to both people and the environment – worldwide.



1. Construction

The modular design principle allows various types of construction and expansion.

2. Equipment

RÖDER offers many exclusive types of facades and equipment to go with its tent and marquee systems.



The anodised aluminum frame is equipped with highly secure profiles and has two- or four-channel keder technology. The sophisticated keder technology makes it possible to expand the tents in many different ways – using the modular design principle. The keder technology also provides protection against bad weather and storms. Highly secure aluminum alloys and galvanized steel guarantee a long-life hold.

RÖDER conducts the planning in line with the minimum quality standards laid down by the DIN 18204 product certification. The long-life RÖDER No.1 tarpaulins are equipped with polyester threads that have a special low-wick and PVDF coating. This increases their resistance against bad weather, prevents dirt building up on the surface and damp getting through. The tarpaulins are classified as ‘difficult to ignite’ by the standards DIN 4102 and EN 13501, are resistant against fungus and spores (fungicidal), and are UV-proof.

The tents guarantee easy handling as they are quick and easy to set up, do not take up much storage or transport space, and the highly secure aluminium profiles are lightweight. The installation and dismantling of the tents will not demand too much manpower or incur high costs.

» EXPANSION CAPABILITIES

By the combination with other RÖDER tent and hall systems as well as various and variable expansions new possibilities arise in the design and planning for impressive room solutions.



FULL-SERVICE



TARPAULINS & FACADE SYSTEMS



FLOOR SYSTEMES



STAIRS, BALCONIES, GALERIES & RAILINGS



SECURITY SYSTEMS



LIGHTING



KITCHEN & SANITARY INSTALLATIONS



INTERIOR, CLADDING & DECORATION



FENCE, SEPARATION & FLAG SYSTEMS

DIVERSE AND VARIABLE



HEATING & AIR CONDITIONING SYSTEMS



DOOR & GATE SYSTEMS



ISO 9001:2008
ISO 14001:2009
REGISTERED FIRM

QUALITY MANAGEMENT

ENGINEERED IN GERMANY

IN ALL PROCESSES, WE ENSURE THAT THE HIGHEST QUALITY AND SAFETY STANDARDS ARE COMPLIED WITH IN ORDER TO PROTECT OUR CUSTOMERS AND TO OFFER THEM THE BEST-LOOKING PRODUCT WITH THE BEST MATERIALS. THIS IS WHY QUALITY, SAFETY AND DURABILITY ARE FIRM COMPONENTS OF RÖDER'S COMPANY CULTURE.

In order to optimise production and business processes and to maintain all safety guidelines so as to guarantee product quality and customer satisfaction, the RÖDER Group employs consistent, sustainable and thorough quality management. The concept of our quality management is based on internal and external input. All relevant processes are defined and documented – from the design phase, material selection and project planning right up to when the tent and marquee systems are given to the customers. As a high-end manufacturer, 'Engineered in Germany' and 'Made by RÖDER' is our promise of quality to our customers. Both our design expertise and quality management are therefore pivotal for the success of our products and trust of our customers.

The quality management systems, which are tested and certified in accordance with the **European standards EN ISO 9001:2008** and **EN ISO 14001:2009**, relate to the design, construction, production, sale and hiring out of RÖDER tent and marquee systems. In order to guarantee the quality promised by the RÖDER Group, all members of staff take part in regular external and internal training on quality and safety. All our temporary accommodation is inspected by TÜV in terms of construction, structure and the tarpaulins. In addition, the company receives external advice and supervision from Bavarian-based company inspectors, the **LGA (Landesgewerbeamt Bayern)**.



» A SYSTEM WITH MORE POSSIBILITIES

The RÖDER C TENTS are a worldwide common tent system due to the unique design and the compatibility.

SUSTAINABLE AND ECOLOGICAL



BENEFITS AND ADDED VALUE OVERVIEW

PATENTED DOUBLE KEDER TECHNOLOGY
MODULAR DESIGN
SOLID AND RELIABLE CONNECTION ELEMENTS
CALCULABLE STORAGE AND TRANSPORT COSTS
EASY AND QUICK INSTALLATION
EXCELLENT VALUE FOR MONEY
DIFFERENT SIDE COVERS
EXPANDABLE BY GRID SYSTEM
FACADES AND FLOOR SYSTEMS
EXCLUSIVE RECONSTRUCTION VARIANTS
EXPERT ADVICE IN ALL PHASES OF THE PROJECT
CERTIFIED QUALITY AND SAFETY
EXTENSIVE SERVICE AND SERVICE-SUPPLY OFFER
DIVERSE APPLICATION POSSIBILITIES
MANY YEARS OF EXPERTISE OF QUALIFIED EMPLOYEES
FLEXIBLE AND MODULAR EQUIPMENT
ENGINEERED AND MADE IN GERMANY
DURABLE AND HIGH QUALITY MATERIALS
A TENT AND HALL SYSTEMS OF RÖDER

RÖDER WORLDWIDE

- Headquarters
- RÖDER subsidiary with its own production facilities and rental warehouse
- RÖDER subsidiary with its own rental warehouse
- RÖDER Sales office
- RÖDER Partner

GERMANY (HEADQUARTERS)

RÖDER
Zelt- und Veranstaltungsservice GmbH
Am Lautenstein, 63654 Büdingen
Fon + 49 60497000
Fax + 49 6049700339
info@roder.com
www.roder.com

1

ALGERIA (PARTNER)
ASTALAVISTA SARL
06, Rue Abd El Kader Guellati
Cinq Maisons, El Mohammadia,
Alger
Fon + 213 21525738
Fax + 213 21525737
info@roder.com
www.astalavista-dz.com

2

ARGENTINA (PARTNER)
Roggerone SRL,
Av. Santa Fé 2665-1640 Martinez,
Pcia de Buenos Aires, Argentina
Fon + 54 1147925422
Fax + 54 1147934113
info@roder.com
www.roggerone.com

3

AUSTRIA (SUBSIDIARY)
RÖDER Zelte Austria
Gartenstraße 30a
AT-4201 Gramastetten, Austria
Fon + 43 7239 70024
Fax + 43 7239 70024
info@roder.com
www.roder.com

4

AUSTRALIA (PARTNER)
H-Line Structures Australia
P.O. Box 8009, Toowoomba
AU-4350 Queensland, Australia
Fon + 61 754451300
Fax + 61 754458027
info@roder.com
www.hlinestructures.com.au

5

CHILE (PARTNER)
Bodegajes Temporales Limitada
Patricia Viñuela 578-C
CL-Lampa Santiago, Chile
Fon + 56 27385638
Fax + 56 27385639
info@roder.com
www.btcbodegajes.cl

6

CHINA-PEKING (SUBSIDIARY)
RODER Tent Service
(Beijing) CO., Ltd
Rm. 311 Sanchuan Dasha
3 Hepingli Xijie, Chaoyang Qu
100013 BEIJING, P. R. China
Fon + 86 10644055-71 | -72
Fax + 86 1064405219
info@roder-china.com
www.roder-china.com

7

CHINA-SHANGHAI (SUBSIDIARY)
RÖDER Tent Service
(Shanghai) CO., Ltd
No. 3978 Hu Qingping Road,
Qingpu district, CN-201703
Shanghai, China
Fon + 86 2151099228
Fax + 86 21398126 07
info@roder-china.com
www.roder-china.com

8

COLOMBIA (PARTNER)
Bodegajes Temporales Colombia S.A.S
Cr 7 71 Torre B floor 9
Bogotá, Colombia
Fon + 57 3115870731
celeon@btcbodegajes.com.co
www.btcbodegajes.cl

9

CZECH REPUBLIC (PARTNER)
Diamant Expo
Marie Kršňákové 119
403 17 Chabařovice, Czech Republic
Fon + 42 04752147934
Fax + 42 0475214793
info@roder.com
www.roeder.cz

10

FINLAND (PARTNER)
Siirtohallit Oy
Puusepantie 11
04360 Tuusula
Finland
Fon +35 8400913913
info@roder.com
www.siirtohallit.fi

11

FRANCE (SUBSIDIARY)
RÖDER France SARL
ZI No. 2 · 28, Allée Monge
FR-60 000 Beauvais, France
Fon + 33 344028877
Fax + 33 344053926
info@roder.fr
www.roder.com

12

GREECE (PARTNER)
Con.Tent Ltd.
Kifissias Avenue 198
GR-15231 Halandra-Athens, Greece
Fon + 30 2106754720
Fax + 30 2106754722
info@roder.com
www.con-tent.gr

13

HUNGARY (SUBSIDIARY)
RÖDER GmbH Magyarországi
Közvetlen Kereskedelmi, Képviselete
Széchenyi tér 21-23 III/6
HU-6900 Makó,
Hungary | Magyarország
Fon + 36 62212071
Fax + 36 62212071
info@roder.com
www.roeder.hu

14

ITALY (SUBSIDIARY)
RÖDER Italia SRL
Via Stazione 27/a
IT-39042 Bressanone, Italy
Fon + 39 0472830939
Fax + 39 0472832909
info@roder.com
www.roder.com

15

MALAYSIA (PARTNER)
Sebsat Malaysia Sdn Bhd
Lot 50321, Jalan KPB 1,
Kawasan Perindustrian Budiman
Batu 10 3/4, 43200 Cheras, Selangor,
Malaysia
Fon + 60 390802640
Fax + 60 390801640
ceo_sebsat@yahoo.com
www.roder.com

16

MOROCCO (PARTNER)
Grand Chapiteau
15, rue Oued Sebou Agdal
1000 Rabat - Maroc
Fon + 33 344028877
Fon + 33 344053926
info@roder.fr
www.roder.com

17

MEXICO (SUBSIDIARY)
Roeder de México S.A. de C.V.
Mariano Escobedo # 193
Torre Norte, Of. 1304
Col. Anáhuac I Secc.,
Del. Miguel Hidalgo C.P. 11320 - México D.F.
Fon + 52 7282823845
info@roder.com
www.roder.com.mx

18

NEW ZEALAND (PARTNER)
H-Line Structures
9A Taylor Rd
NZ-Papamoa, Bay of Plenty 3118,
New Zealand
Fon + 61 754451300
Fax + 61 754458027
info@roder.com
www.hlinestructures.com.au

19

PERU (PARTNER)
Btp Almacenes S.A.C
Ricardo Palma 1250
Miraflores – Lima, Perú
Fon + 51 948902070
info@roder.com
www.btcbodegajes.cl

20

ROMANIA (PARTNER)
Str. Buzesti Nr. 61, Et. 7,
Ap. 48-49, Sector 1,
RO-011013 Bukarest, Romania
Fon + 40 213110011
Fax + 40 213110011
info@roder.com
www.roeder.ro

21

RUSSIAN FEDERATION (SUBSIDIARY)
RÖDER OOO
Solnechnogorskiy district,
Village Lunevo, Garazhnaya street
opposite No. 16
RU-141580 Moskau, Russia
Fon + 7 4957858157
Fax + 7 4957858158
roder@roder.ru
www.roder.ru

22

SLOVENIA (PARTNER)
Expo Biro d.o.o.
Miklavška cesta 57
SL-2311 Hoce, Slovenia
Fon + 38 624805800
Fax + 38 62480580 20
info@roder.com
www.expobiro.si

23

SPAIN (PARTNER)
Foro Técnico S.L., Orient 78-84
ES-08172 St. Cugat del Valles
Barcelona, Spain
Fon + 34 935441860
Fax + 34 935441861
info@roder.com
www.forotec.com

24

SWEDEN (PARTNER)
One4Event AB
Hemgatan 2
SE-78473 Borlänge, Sweden
Fon + 46 243794360
Fax + 46 243794369
info@roder.com
www.one4event.com

25

SWITZERLAND (SUBSIDIARY)
Orgatent AG
Gewerbe Badhus
CH-6022 Grosswangen,
Switzerland
Fon + 41 419804939
Fax + 41 419804919
info@orgatent.ch
www.orgatent.ch

26

TURKEY (SUBSIDIARY)
RÖDER Yapi Sistemleri
Sanayi Ticaret Ltd. Sti
Akasya Acıbadem
Çeçen Sokak, Kent Etabı A Kule Kat:18 D:62
TR-34660 Üsküdar/Istanbul, Turkey
Fon + 90 2163408910
Fax + 90 2163408915
info@roder.com.tr
www.roder.com.tr

27

UKRAINE (PARTNER)
Tent Plettac Ltd.
Plodova Str., 1
UA-4128 Kyiv, Ukraine
Fon + 38 0444000461
Fax + 38 0444222145
info@tent-plettac.com
www.tent-plettac.com

28

UNITED KINGDOM (SUBSIDIARY)
RÖDER UK Ltd.
Unit 16 Earith Business Park
Meadow Drove, Earith,
Cambridgeshire
GB-PE28 3QF, United Kingdom
Fon + 44 1487840840
Fax + 44 1487840843
sales@roderuk.com
www.roderuk.com

29

USA (PARTNER)
Anchor Industries Inc.
1100 Burch Dr., P.O. Box 3477 Evansville,
Indiana 47733, USA
Fon + 1 8128672421
Fax + 1 8128670547
info@roder.com
www.anchorinc.com

30

19

5

7

8

16

11

21

22

28

13

2

17

24

12

26

4

23

1

10

14

15

27

29

30

18

20

9

6

3



RÖDER ZELT- UND VERANSTALTUNGSSERVICE GMBH
AM LAUTENSTEIN, 63654 BÜDINGEN (GERMANY)

FON +49 6049 700 0
FAX +49 6049 700 339

INFO@RODER.COM
WWW.RODER.COM

