

# S-TENTS



Chinese

**English**

French

German

Hungarian

Italian

Russian

Slovenian

Spanish

Turkish

---

mobile space solutions  
[www.roder.com](http://www.roder.com)

---



# RÖDER S-TENTS REQUIREMENTS & SOLUTIONS

900 m² USABLE AREA	12.000 m² USABLE AREA	4.000 m² USABLE AREA	1.000 m² USABLE AREA	3.500 m² USABLE AREA	2.500 m² USABLE AREA
2 Days TIME FRAME	4 Week TIME FRAME	20 Days VISITORS	3 Week TIME FRAME	5 Days TIME FRAME	3 Weeks TIME FRAME
2.000 PERSONS	150.000 PERSONS	2.000 PERSONS	1.700 PERSONS	2.000 PERSONS	1.000 daily PERSONS
30,0 x 30,0 m SOLUTION TOWER TENT TYPE	30,0 x 40,0 m SOLUTION ATRIUM 25,0 x 20,0 m SOLUTION TENT TYPE	20,0 x 30,0 m SOLUTION TENT TYPE	20,0 x 40,0 m SOLUTION ATRIUM TENT TYPE	30,0 x 75,0 m SOLUTION 30,0 x 25,0 m SOLUTION 6,0 m Side height and ATTIKA TENT TYPE	30,0 x 75,0 m SOLUTION with the facade element (3 Pcs.) TENT TYPE
First 3-floors tent worldwide Glass facades EQUIPMENT	10,0 m Side height EQUIPMENT	Full-Service EQUIPMENT	Facade element ALEA 2.0 Presentation room, VIP Lounge, Restaurant EQUIPMENT	Reception hall, Hall, Bar, Lounge, Kitchen EQUIPMENT	ALEA 2.0 EQUIPMENT
Innoscene 2014 in Ruppolding	Beach volleyball World Cup in Klagenfurt at the Wörthersee	Car presentation in Shanghai	Mercedes Benz Sternstunden	Gala dress & ceremony for saying goodbye to an company founder	Roadshow Barbie Dreamhouse Experience in Berlin





## » ELEGANT AND STYLISH

RÖDER S TENTS offer a representative room by the unmistakable design and the cubic form. Eyecatching!



## RÖDER S-TENTS

### MODERN INTERPRETED

Welcome in the business class of the RÖDER tent and hall systems. The SOLUTION systems of the RÖDER S-TENTS series make the perfect room for the realization of unusual and ambitious ideas and projects. Generous, high window fronts, the low slope of the roof and cubic shaped construction, terraces, galleries as well as the suitable facade system characterize the architecture of the SOLUTION systems.

RÖDER S-TENTS are **ATRIUM** and **SOLUTION TOWERS** in the versions **SOLUTION** available. You convince visually, safety, in engineering as well as economical terms. Due to the flexible and modular span widths, lengths and heights, the SOLUTION systems are suitable for many uses. The thought-out room concept with coherent interior furnishings leads to a well-feeling ambiance to the spaciousness, openness and communication. The air-filled and double-valve thermal roof tarpaulins provide a high insulation factor and optimal climatic conditions both in summer and in winter.

The individually printable **RÖDER facade element ALEA 2.0** adds architectural accents. Perfectly tuned to design and esthetics, messages can be portrayed specifically with the extensive textile trains.

Learn in a personal conversation which tent and hall system meets your requirements best. Your RÖDER team likes to advise you at your individual and custom-fit room solution!

## » VARIOUS RANGES OF APPLICATION

RÖDER S TENTS offer room for the arrangement and realization of ambitious ideas and projects. The stylish SOLUTION systems adapt to every spatial request by her mobility and flexibility.



### POSSIBLE APPLICATIONS

KICK-OFFS GALA'S CONCERTS **HOSPITALITY** VIP-EVENTS  
ENTERPRISE EVENTS ANNIVERSARIES BAR CORPORA-  
TE- EVENTS SALES PROMOTION EXHIBITIONS **PRODUCT**  
**PRESENTATIONS FAIRS** EVENTS SUMMER  
EVENTS GALLERIES ROADSHOWS FASHION SHOWS  
CATERING **CONFERENCES CONVENTIONS CUSTOMER**  
EVENT RESTAURANT **SALESROOM** THEATER CLUB  
**BUSINESS** ARCHITECTURE SHOWS CULTURE EVENTS  
SPORTS EVENTS LOUNGE ENTERTAINMENT PRODUCTION  
INCENTIVE BRANDEXPERIENCE MEETINGS

## THE SYSTEM FOR CREATIVE ROOM

The modular box of building blocks principle of RÖDER S TENTS is effective and efficient by the various ranges of application. The tent and hall systems offer the suitable room solution for demanding requirements at high levels.

### EFFECTIVE AND EFFICIENT





» VARIED AND MALLEABLE

RÖDER S TENTS are the solution for unusual projects and requirements.



ATMOSPHERIC  
AND INDIVIDUAL







## » ONE PROFILE - VARIOUS MODELS

The RÖDER S TENTS are available in the versions SOLUTION, SOLUTION ATRIUM and SOLUTION TOWER. Statics and corresponding anchorage points safeguard very high carrying and installation loads.

## VARIANTS

### 1. SOLUTION



Span  
10,0 m | 15,0 m  
20,0 m | 25,0 m | 30,0 m

### 2. SOLUTION ATRIUM

Span  
10,0 m | 15,0 m  
20,0 m | 25,0 m | 30,0 m

### 3. SOLUTION TOWER


Span  
15,0 m



### INFORMATION

All RÖDER S TENTS are available in different side panels. With the grid they are each about 5.0 m extendable. Individual spans, lengths, side heights and grid dimensions are possible as a special order. Detailed information is described in the technical data sheet on the following pages.







TECHNICAL DATA



SOLUTION

STANDARD VERSION					
Span	1.000 cm	1.500 cm	2.000 cm	2.500 cm	3.000 cm
Side height	400 / 600 cm	400 / 600 cm	400 / 600 cm	400 / 600 cm	400 / 600 cm
Ridge height	448 / 648 cm	469 / 648 cm	494 / 694 cm	515 / 715 cm	534 / 734 cm
Roof pitch	5°	5°	5°	5°	5°
Bay distance / grid	500 cm	500 cm	500 cm	500 cm	500 cm
Longest component	560 / 615 cm	813 cm	1.055 cm	1.055 cm	1.055 cm
Main profile	250 x 120 x 5/4 mm		285 x 124 x 7,5/5,2 mm		
Gable column	1	2	3	4	5
Corner connections	Stem bolts				
Min. setup length	1.000 cm	2.000 cm	2.000 cm	2.000 cm	2.000 cm
Max. setup length	Expandable with the grid				
Max. wind speed according to EN	100 km/h				
Floor	<ul style="list-style-type: none"><li>Wood floor with timber or steel-aluminum substructure</li><li>Cassette floor</li><li>Heavy-duty floor</li></ul>				
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204				



1.000/400/448 & 1.000/600/648





1.500/400/469 & 1.500/600/648





2.000/400/494 & 2.000/600/694



2.500/400/515 & 2.500/600/715




3.000/400/534 & 3.000/600/734



QUESTIONS AND COMMENTS



We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



TECHNICAL  
DATA

SOLUTION ATRIUM


STANDARD VERSION					
Span	1.000 cm	1.500 cm	2.000 cm	2.500 cm	3.000 cm
Side height	400 / 600 cm	400 / 600 cm	400 / 600 cm	400 / 600 cm	400 / 600 cm
Ridge height	448 / 648 cm	469 / 648 cm	494 / 694 cm	515 / 715 cm	534 / 734 cm
Roof pitch	5°	5°	5°	5°	5°
Bay distance / grid	500 cm	500 cm	500 cm	500 cm	500 cm
Longest component	560 / 615 cm	813 cm	1.055 cm	1.055 cm	1.055 cm
Main profile	250 x 120 x 5/4 mm		285 x 124 x 7,5/5,2 mm		
Gable column	1	3	3	4	5
Corner connections	Stem bolts				
Min. setup length	1.000 cm	2.000 cm	2.000 cm	2.000 cm	2.000 cm
Max. setup length	Expandable with the grid				
Max. wind speed according to EN	100 km/h				
Floor	<ul style="list-style-type: none"><li>Wood floor with timber or steel-aluminum substructure</li><li>Cassette floor</li><li>Heavy-duty floor</li></ul>				
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204				



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.





TECHNICAL DATA

SOLUTION TOWER

STANDARDVERSION	
Span	1.500 cm
Side height EG	400 cm
Side height 1. OG	286 cm
Side height 2. OG	300 cm
Ridge height	1.177 cm
Roof pitch	20°
Bay distance / grid	500 cm
Max. setup length	Expandable with the grid
Max. wind speed according to EN	100 km/h
Floor	<ul style="list-style-type: none"><li>• Wood floor with timber or steel-aluminum substructure</li><li>• Cassette floor</li><li>• Heavy-duty floor</li></ul>
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.





## EQUIPMENT FEATURES

### FLEXIBLE AND MODULAR

#### HIGH INSTALLATION LOADS

The RÖDER S-TENTS can be quickly and simply installed thanks to the stable and solid connection elements. A statically checked high stability is guaranteed by the thought-out interplay of all straps and connection elements. The standard scope of supply can be complemented with further tent and equipment components. Individual tent and hall systems can be brought to life by the use of floor systems via the scaffolding construction and disguising up to the roof tarpaulins. RÖDER S-TENTS are flexible and modular by their extensive equipment options.



#### 1. Stability

RÖDER guarantees a sure stability on almost every underground.

#### 2. High installation burdens

The scaffolding construction was conceived especially for increased installation burdens.  
A decisive prerequisite for demanding events.

#### 3. Floor systems

The heavy burden floor is for all RÖDER Tent and hall systems universally usable.

#### 4. Facade systems

Elegant glass aluminum facades

#### 5. Accessories

Exclusive accessories like to example the sticking holders for high installation burdens, the one flexible  
Making attachment of the clay and lighting engineering possible.

#### 6. Thermal roof tarpaulin

The air filling of the thermal roof tarpaulins is carried out via a pressure aggregate with sensor wiring.



#### INCLUDED IN DELIVERY

- Frame construction with anodised aluminium profiles
- Thermal roof tarpaulins with fix and bungee tensioning
- White side tarpaulins with central divisions
- Ground bars for the side tarpaulins
- Pegs and setup tube

#### SPECIAL EQUIPMENT

- Windows for the side tarpaulins
- Various floor and facade systems
- Heating- and climate systems
- Been different at and reorganization possibilities
- Portal brace instead of wind bracing wires
- Different door and gate variants
- Sticking holder for Installation burdens
- Interior decoration and lighting
- ALEA 2.0 and ATTIKA

#### DESCRIPTION OF FRAME MATERIAL

- Anodized aluminium-profile with four-channel profile
- Connecting elements made of aluminium and galvanised steel

#### DESCRIPTION OF TARPAULIN MATERIAL

- RÖDER No. 1, PVC-coated tarpaulins produced in line with DIN 18204
- Classified as 'difficult to ignite' by DIN 4102 and EN 13501
- Dirt-repellent and light-resistant
- Lets daylight through and is UV-resistant
- Low-wick coated polyester threads





## » UNIQUE AND TREND-SETTING

The RÖDER facade element ALEA 2.0 is the new Dimension for architectural accents in the Area of mobile tent and hall construction.




## FACADE SYSTEMS

### PUTTING INTO SCENE SPECIFICALLY

Individual facades characterize our landscape, deliver the communication and give buildings a language of their own. With a variety of façade elements available in inspiring colors and surfaces takes THE RÖDER group to new dimensions in the area of the mobile tent and hall construction. With the individually printable **RÖDER facade element ALEA 2.0** messages and forms can be tailored specifically, and tuned to design and aesthetics perfectly.

The innovative and extensive Gauze system offers flexibility and realization of design concepts. The avant-garde system has especially been developed for RÖDER S TENTS, a printable area offers with up to 12 m of side height and a solid look to the outside, the facade however allows views from within the building, but restricts viewing into the building. By use of most modern, environmentally harmless and economical pressure techniques, among other things **3D effects** also can be obtained. The overall picture arising in this process is detailed and realistic representation of your brand. The flexible and at the same time resilient Textiles are installed directly at the structure fitted around connection elements, and are freely modelable, i.e. they adapt to the individual requirements and don't need an additional sub-construction.

Furthermore stand an **ATTIKA** (continuous, individually designed fascia system), **glass aluminium facade elements** as well as further facade elements and **tarpaulins** at your disposal for a perfect production. Learn in a personal conversation which coverings and which facade system meets your requirements best. Your RÖDER team likes to advise you at your individual and custom-fit room solution!





DURABLE AND  
HIGH-QUALITY



TECHNICAL FEATURES

DECADES OF EXPERIENCE

The RÖDER Group uses only the most qualified staff, the best materials and constantly draws on its decades of experience in the field of temporary accommodation – right from the very start of the construction and production process of the tent and marquee systems. We achieve high customer satisfaction through quality and safety. Continuous and reliable quality management means we can place our trust in the materials we use. The RÖDER Group is certified according to the European standards EN ISO 9001:2008 and EN ISO 14001:2009. All structures are calculated and tested in accordance with the European standard EN 13782.

1.



2.



1. Construction

The modular design principle allows various types of construction and expansion.

2. Equipment

RÖDER offers many exclusive types of facades and equipment to go with its tent and marquee systems.

3. Logistics

Specialist partners take on the task of transporting the tent and marquee systems. As a trusted and known dispatcher, RÖDER benefits from a fast-track customs clearance process. This guarantees a just-in-time availability worldwide.

3.



4.



4. Production

RÖDER production is respectful to both people and the environment – worldwide.

The anodised aluminium frame is equipped with highly secure profiles and has two- or four-channel keder technology. The sophisticated keder technology makes it possible to expand the tents in many different ways – using the modular design principle. The keder technology also provides protection against bad weather and storms. Highly secure aluminium alloys and galvanized steel guarantee a long-life hold.

RÖDER conducts the planning in line with the minimum quality standards laid down by the DIN 18204 product certification. The long-life RÖDER No.1 tarpaulins are equipped with polyester threads that have a special low-wick and PVDF coating. This increases their resistance against bad weather, prevents dirt building up on the surface and damp getting through. The tarpaulins are classified as 'difficult to ignite' by the standards DIN 4102 and EN 13501, are resistant against fungus and spores (fungicidal), and are UV-proof.

The tents guarantee easy handling as they are quick and easy to set up, do not take up much storage or transport space, and the highly secure aluminium profiles are lightweight. The installation and dismantling of the tents will not demand too much manpower or incur high costs.



# » EXPANSION CAPABILITIES

Through the combination with other Röder tent and Hall systems, extensions as well as diverse and variable designs can be created and new opportunities for impressive solutions planned.



## FULL-SERVICE



TARPAULINS & FACADE SYSTEMS



FLOOR SYSTEMS



STAIRS, BALCONIES, GALERIES & RAILINGS



SECURITY SYSTEMS



LIGHTING



KITCHEN & SANITARY INSTALLATIONS



INTERIOR, CLADDING & DECORATION



FENCE, SEPARATION & FLAG SYSTEMS

## DIVERSE AND VARIABLE



HEATING & AIR CONDITIONING SYSTEMS



DOOR & GATE SYSTEMS





# QUALITY MANAGEMENT

## ENGINEERED IN GERMANY

IN ALL PROCESSES, WE ENSURE THAT THE HIGHEST QUALITY AND SAFETY STANDARDS ARE COMPLIED WITH IN ORDER TO PROTECT OUR CUSTOMERS AND TO OFFER THEM THE BEST-LOOKING PRODUCT WITH THE BEST MATERIALS. THIS IS WHY QUALITY, SAFETY AND DURABILITY ARE FIRM COMPONENTS OF RÖDER'S COMPANY CULTURE.

In order to optimise production and business processes and to maintain all safety guidelines so as to guarantee product quality and customer satisfaction, the RÖDER Group employs consistent, sustainable and thorough quality management. The concept of our quality management is based on internal and external input. All relevant processes are defined and documented – from the design phase, material selection and project planning right up to when the tent and marquee systems are given to the customers. As a high-end manufacturer, 'Engineered in Germany' and 'Made by RÖDER' is our promise of quality to our customers. Both our design expertise and quality management are therefore pivotal for the success of our products and trust of our customers.


The quality management systems, which are tested and certified in accordance with the **European standards EN ISO 9001:2008** and **EN ISO 14001:2009**, relate to the design, construction, production, sale and hiring out of RÖDER tent and marquee systems. In order to guarantee the quality promised by the RÖDER Group, all members of staff take part in regular external and internal training on quality and safety. All our temporary accommodation is inspected by TÜV in terms of construction, structure and the tarpaulins. In addition, the company receives external advice and supervision from Bavarian-based company inspectors, the **LGA (Landesgewerbeamt Bayern)**.





# » A SYSTEM WITH MORE POSSIBILITIES

The RÖDER S TENTS series is the solution for requirements, at which elegant, stylish and individual rooms being used.



## SUSTAINABLE AND ECOLOGICAL



### BENEFITS AND ADDED VALUE OVERVIEW

- HIGH INSTALLATION BURDENS
- MODULAR DESIGN
- CERTIFIED QUALITY AND SAFETY
- SOLID AND RELIABLE CONNECTION ELEMENTS
- CALCULABLE STORAGE AND TRANSPORT COSTS
- EXPANDABLE BY GRID SYSTEM
- FACADES AND FLOOR SYSTEMS
- DIFFERENT SIDE COVERS
- EASY AND QUICK INSTALLATION
- EXCELLENT VALUE FOR MONEY
- EXCLUSIVE RECONSTRUCTION VARIANTS
- EXPERT ADVICE IN ALL PHASES OF THE PROJECT
- DIVERSE APPLICATION POSSIBILITIES
- EXTENSIVE SERVICE AND SERVICE-SUPPLY OFFER
- MANY YEARS OF EXPERTISE OF QUALIFIED EMPLOYEES
- FLEXIBLE AND MODULAR EQUIPMENT
- ENGINEERED AND MADE IN GERMANY
- DURABLE AND HIGH QUALITY MATERIALS
- A TENT AND HALL SYSTEMS OF RÖDER

RÖDER WORLDWIDE

- Headquarters
- RÖDER subsidiary with its own production facilities and rental warehouse
- RÖDER subsidiary with its own rental warehouse
- RÖDER Sales office
- RÖDER Partner

GERMANY (HEADQUARTERS)

RÖDER  
Zelt- und Veranstaltungsservice GmbH  
Am Lautenstein, 63654 Büdingen  
Fon + 49 60497000  
Fax + 49 6049700339  
info@roder.com  
www.roder.com

1

ALGERIA (PARTNER)  
ASTALAVISTA SARL  
06, Rue Abd El Kader Guellati  
Cinq Maisons, El Mohammadia,  
Alger  
Fon + 213 21525738  
Fax + 213 21525737  
info@roder.com  
www.astalavista-dz.com

2

ARGENTINA (PARTNER)  
Roggerone SRL,  
Av. Santa Fé 2665-1640 Martinez,  
Pcia de Buenos Aires, Argentina  
Fon + 54 1147925422  
Fax + 54 1147934113  
info@roder.com  
www.roggerone.com

3

AUSTRIA (SUBSIDIARY)  
RÖDER Zelte Austria  
Gartenstraße 30a  
AT-4201 Gramastetten, Austria  
Fon + 43 7239 70024  
Fax + 43 7239 70024  
info@roder.com  
www.roder.com

4

AUSTRALIA (PARTNER)  
H-Line Structures Australia  
P.O. Box 8009, Toowoomba  
AU-4350 Queensland, Australia  
Fon + 61 754451300  
Fax + 61 754458027  
info@roder.com  
www.hlinestructures.com.au

5

CHILE (PARTNER)  
Bodegajes Temporales Limitada  
Patricia Viñuela 578-C  
CL-Lampa Santiago, Chile  
Fon + 56 27385638  
Fax + 56 27385639  
info@roder.com  
www.btcbodegajes.cl

6

CHINA-PEKING (SUBSIDIARY)  
RODER Tent Service  
(Beijing) CO., Ltd  
Rm. 311 Sanchuan Dasha  
3 Hepingli Xijie, Chaoyang Qu  
100013 BEIJING, P. R. China  
Fon + 86 10644055-71 | -72  
Fax + 86 1064405219  
info@roder-china.com  
www.roder-china.com

7

CHINA-SHANGHAI (SUBSIDIARY)  
RÖDER Tent Service  
(Shanghai) CO., Ltd  
No. 3978 Hu Qingping Road,  
Qingpu district, CN-201703  
Shanghai, China  
Fon + 86 2151099228  
Fax + 86 21398126 07  
info@roder-china.com  
www.roder-china.com

8

COLOMBIA (PARTNER)  
Bodegajes Temporales Colombia S.A.S  
Cr 7 71 Torre B floor 9  
Bogotá, Colombia  
Fon + 57 3115870731  
celeon@btcbodegajes.com.co  
www.btcbodegajes.cl

9

CZECH REPUBLIC (PARTNER)  
Diamant Expo  
Marie Kršňákové 119  
403 17 Chabařovice, Czech Republic  
Fon + 42 04752147934  
Fax + 42 0475214793  
info@roder.com  
www.roeder.cz

10

FINLAND (PARTNER)  
Siirtohallit Oy  
Puusepantie 11  
04360 Tuusula  
Finland  
Fon +35 8400913913  
info@roder.com  
www.siirtohallit.fi

11

FRANCE (SUBSIDIARY)  
RÖDER France SARL  
ZI No. 2 · 28, Allée Monge  
FR-60 000 Beauvais, France  
Fon + 33 344028877  
Fax + 33 344053926  
info@roder.fr  
www.roder.com

12

GREECE (PARTNER)  
Con.Tent Ltd.  
Kifissias Avenue 198  
GR-15231 Halandra-Athens, Greece  
Fon + 30 2106754720  
Fax + 30 2106754722  
info@roder.com  
www.con-tent.gr

13

HUNGARY (SUBSIDIARY)  
RÖDER GmbH Magyarországi  
Közvetlen Kereskedelmi, Képviselete  
Széchenyi tér 21-23 III/6  
HU-6900 Makó,  
Hungary | Magyarország  
Fon + 36 62212071  
Fax + 36 62212071  
info@roder.com  
www.roeder.hu

14

ITALY (SUBSIDIARY)  
RÖDER Italia SRL  
Via Stazione 27/a  
IT-39042 Bressanone, Italy  
Fon + 39 0472830939  
Fax + 39 0472832909  
info@roder.com  
www.roder.com

15

MALAYSIA (PARTNER)  
Sebsat Malaysia Sdn Bhd  
Lot 50321, Jalan KP8 1,  
Kawasan Perindustrian Budiman  
Batu 10 3/4, 43200 Cheras, Selangor,  
Malaysia  
Fon + 60 390802640  
Fax + 60 390801640  
ceo\_sebsat@yahoo.com  
www.roder.com

16

MOROCCO (PARTNER)  
Grand Chapiteau  
15, rue Oued Sebou Agdal  
1000 Rabat - Maroc  
Fon + 33 344028877  
Fon + 33 344053926  
info@roder.fr  
www.roder.com

17

MEXICO (SUBSIDIARY)  
Roeder de México S.A. de C.V.  
Mariano Escobedo # 193  
Torre Norte, Of. 1304  
Col. Anáhuac I Secc.,  
Del. Miguel Hidalgo C.P. 11320 - México D.F.  
Fon + 52 7282823845  
info@roder.com  
www.roder.com.mx

18

NEW ZEALAND (PARTNER)  
H-Line Structures  
9A Taylor Rd  
NZ-Papamoa, Bay of Plenty 3118,  
New Zealand  
Fon + 61 754451300  
Fax + 61 754458027  
info@roder.com  
www.hlinestructures.com.au

19

PERU (PARTNER)  
Btp Almacenes S.A.C  
Ricardo Palma 1250  
Miraflores – Lima, Perú  
Fon + 51 948902070  
info@roder.com  
www.btcbodegajes.cl

20

ROMANIA (PARTNER)  
Str. Buzesti Nr. 61, Et. 7,  
Ap. 48-49, Sector 1,  
RO-011013 Bukarest, Romania  
Fon + 40 213110011  
Fax + 40 213110011  
info@roder.com  
www.roeder.ro

21

RUSSIAN FEDERATION (SUBSIDIARY)  
RÖDER OOO  
Solnechnogorskiy district,  
Village Lunevo, Garazhnaya street  
opposite No. 16  
RU-141580 Moskau, Russia  
Fon + 7 4957858157  
Fax + 7 4957858158  
roder@roder.ru  
www.roder.ru

22

SLOVENIA (PARTNER)  
Expo Biro d.o.o.  
Miklavška cesta 57  
SL-2311 Hoce, Slovenia  
Fon + 38 624805800  
Fax + 38 62480580 20  
info@roder.com  
www.expobiro.si

23

SPAIN (PARTNER)  
Foro Técnico S.L., Orient 78-84  
ES-08172 St. Cugat del Valles  
Barcelona, Spain  
Fon + 34 935441860  
Fax + 34 935441861  
info@roder.com  
www.forotec.com

24

SWEDEN (PARTNER)  
One4Event AB  
Hemgatan 2  
SE-78473 Borlänge, Sweden  
Fon + 46 243794360  
Fax + 46 243794369  
info@roder.com  
www.one4event.com

25

SWITZERLAND (SUBSIDIARY)  
Orgatent AG  
Gewerbe Badhus  
CH-6022 Grosswangen,  
Switzerland  
Fon + 41 419804939  
Fax + 41 419804919  
info@orgatent.ch  
www.orgatent.ch

26

TURKEY (SUBSIDIARY)  
RÖDER Yapi Sistemleri  
Sanayi Ticaret Ltd. Sti  
Akasya Acıbadem  
Çeçen Sokak, Kent Etabı A Kule Kat:18 D:62  
TR-34660 Üsküdar/Istanbul, Turkey  
Fon + 90 2163408910  
Fax + 90 2163408915  
info@roder.com.tr  
www.roder.com.tr

27

UKRAINE (PARTNER)  
Tent Plettac Ltd.  
Plodova Str., 1  
UA-4128 Kyiv, Ukraine  
Fon + 38 0444000461  
Fax + 38 0444222145  
info@tent-plettac.com  
www.tent-plettac.com

28

UNITED KINGDOM (SUBSIDIARY)  
RÖDER UK Ltd.  
Unit 16 Earith Business Park  
Meadow Drove, Earith,  
Cambridgeshire  
GB-PE28 3QF, United Kingdom  
Fon + 44 1487840840  
Fax + 44 1487840843  
sales@roderuk.com  
www.roderuk.com

29

USA (PARTNER)  
Anchor Industries Inc.  
1100 Burch Dr., P.O. Box 3477 Evansville,  
Indiana 47733, USA  
Fon + 1 8128672421  
Fax + 1 8128670547  
info@roder.com  
www.anchorinc.com

30

19

5

7

8

16

11

22

28

10

21

14

23

15

4

26

12

24

17

2

13

27

1

29

25

30

18

9

20

6

3





---

**RÖDER ZELT- UND VERANSTALTUNGSSERVICE GMBH**  
**AM LAUTENSTEIN, 63654 BÜDINGEN (GERMANY)**

**FON +49 6049 700 0**  
**FAX +49 6049 700 339**

**INFO@RODER.COM**  
**WWW.RODER.COM**



Mistakes, image errors, price alterations, technical modifications  
and dimension discrepancies reserved.