

SAS-TENTS



Chinese

English

French

German

Hungarian

Italian


Russian

Slovenian

Spanish

Turkish

mobile space solutions
www.roder.com



RÖDER SAS REQUIREMENTS & SOLUTIONS

20.000 m²
USABLE AREA

1,5 years
TIME FRAME

ca. 4.000
PERSONS

Gravel and sandy ground
GROUND

170 x SAS 35
TENT TYPE

Emergency and refugee camp in Africa

3.000 m²
USABLE AREA

1 Week
TIME FRAME

Lawn
GROUND

42 x SAS 24
TENT TYPE

Sleep and bedding down store
SPECIAL FEATURES

Summer celebration for 200 children and teenagers of the German youth fire department

2.000 m²
USABLE AREA

Earth quake region in Italy
FIELD OF APPLICATION

45 x SAS 24
30 x SAS 35
TENT TYPE

2 Days
WORK TIME

Emergency accommodation in the catastrophe area in Italy

300 m²
USABLE AREA

3 Weeks
TIME FRAME

50
PERSONS

Snow and Ice | - 12° Celsius
WEATHER CONDITIONS

5 x SAS 60
TENT TYPE

Heating systems
EQUIPMENT

Base camp (kitchens and supply tents) for an international one expedition in Nepal

700 m²
USABLE AREA

Maintenance and store tents
REQUIREMENTS

10 x SAS 56
TENT TYPE

Heating and climate systems as well as light units
EQUIPMENT

Installation of maintenance and store tents for an ADAC event

Fast installation
REQUIREMENTS SETUP AND DEPOSIT

Robust, solid, simple and resistant
MATERIAL

War and catastrophe regions all over the world
FIELD OF APPLICATION

Various SAS-TENTS
TENT TYPE

Team, maintenance, medical, and storage tents for military units



» PROTECTIVE AND MULTIFUNCTIONAL

RÖDER SAS TENTS are suitable for exceptional situations by the robust, sturdy construction and ease of use: The perfect space solution for all army and aid organizations or other outdoor activities.



RÖDER SAS-TENTS

FAST AND EASY

The multifunctional RÖDER SAS TENTS are the ideal space solution for army, charity and other outdoor organizations because of different versions. Anodized aluminum frames, high-quality planning and robust components such as the aluminum die-cast connector guarantee easy handling and long life. Due to the sustainable mobility and sophisticated design, the systems can be installed quickly and at almost any location within a very short time. Especially in difficult situations, difficult terrain and under extreme climatic conditions, the system provides protection and security.

As a universal tent system with countless applications it is mainly used in association and youth groups, as a protective or team area for police, fire and aid organizations as well as for humanitarian and military areas. RÖDER SAS TENTS convince technically, economically and with safety.

Come and speak to us in person to find out which tent or marquee system best meets your requirements. The RÖDER team looks forward to helping you find the perfect accommodation!

» RESISTANT AND EXPEDIENT

RÖDER SAS TENTS are characterized by their modular applicability. Several tents with the same span can be connected very fast.



POSSIBLE APPLICATIONS

TEAM TENT **BASE CAMP** **KITCHEN** **COMMAND CENTER** **PROTECTION TENT** **MATERIAL STORAGE** **ACCOMODATION TENT** **PLANING TENT** **WORKSHOP** **OFFICE** **MAINTENCE HALL** **MEDICAL TENT** **FIRE DEPARTMENT** **EMERGENCY TENT** **WEATHER PROTECTION** **HUMANITARIAN MISSIONS** **GARAGE** **DORM** **MILITARY OPERATIONS** **POLICE** **YOUTH FACILITY**

SMALL PACKING VOLUME

The pack sacks included for frame, tarpaulin and small parts ensure trouble-free transport due to the manageable dimensions. This prolongs the life of RÖDER SAS TENTS and ensures safe, comfortable and fast logistics.

VERSATILE AND MODULAR



**HARD IN TAKING
COMFORTABLE IN THE APPLICATION**









RÖDER SAS 24/25/34/35/45/48/56/60

TECHNICAL DATA

TYPE	SIZE (H X W X SH)	TOTAL WEIGHT TARPAULIN + FRAME	RIDGE HEIGHT	BASE
SAS 24	4,75 x 5,0 x 1,7 m	31 kg + 31 kg = 62 kg	2,5 m	24 m ²
SAS 25	5,0 x 5,0 x 1,9 m	35 kg + 32 kg = 67 kg	2,7 m	25 m ²
SAS 34	5,65 x 6,0 x 1,7 m	31 kg + 42 kg = 81 kg	2,7 m	34 m ²
SAS 35	5,9 x 6,0 x 1,9 m	45 kg + 43 kg = 88 kg	2,9 m	35 m ²
SAS 45	5,65 x 8,0 x 1,7 m	53 kg + 54 kg = 107 kg	2,7 m	45 m ²
SAS 48	5,9 x 8,0 x 1,9 m	61 kg + 56 kg = 117 kg	2,9 m	47 m ²
SAS 56	5,65 x 10,0 x 1,7 m	64 kg + 65 kg = 129 kg	2,7 m	57 m ²
SAS 60	5,9 x 10,0 x 1,9 m	74 kg + 68 kg = 142 kg	2,9 m	59 m ²

SCOPE OF SUPPLY



SAS 24 (SAS 25)

- | | |
|----------------------------|--------------------------------|
| 6 bars @ 244 cm | 6 three-arm die-cast connector |
| 6 bars @ 194 cm | 3 four-arm die-cast connector |
| 6 stakes @ 173 cm (194 cm) | 6 pegs |
| Longest component: 244 cm | |

SAS 34 (SAS 35)

- | | |
|----------------------------|--------------------------------|
| 8 bars @ 244 cm | 6 three-arm die-cast connector |
| 9 bars @ 194 cm | 6 four-arm die-cast connector |
| 8 stakes @ 173 cm (194 cm) | 8 pegs |
| Longest component: 244 cm | |

SAS 45 (SAS 48)

- | | |
|-----------------------------|--------------------------------|
| 10 bars @ 244 cm | 6 three-arm die-cast connector |
| 12 bars @ 194 cm | 9 four-arm die-cast connector |
| 10 stakes @ 173 cm (194 cm) | 10 pegs |
| Longest component: 244 cm | |

SAS 56 (SAS 60)

- | | |
|-----------------------------|--------------------------------|
| 12 bars @ 244 cm | 6 three-arm die-cast connector |
| 15 bars @ 194 cm | 12 four-arm die-cast connector |
| 12 stakes @ 173 cm (194 cm) | 12 pegs |
| Longest component: 244 cm | |

QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



EQUIPMENT FEATURES

FLEXIBLE AND ROBUST

SAFETY FIRST

The RÖDER SAS-TENTS can be quickly and easily assembled and disassembled by stable and solid connection elements. The well-designed combination of supporting and connecting elements guarantees a proven high level of structural stability. Many optional pieces of equipment and tent components can be added to the standard scope of delivery.

INCLUDED IN DELIVERY

Frame construction made of anodized aluminium-round tube 40 x 1,5 mm; Pegs included

2 gables, loosely mountable, 1 roof tarpaulin

2 entrances | 2 windows (4 pieces at the length of 8 and 10 m)

Robust die-cast plug-in connections

PVC-fouling strip

Pack sacks for frame, tarpaulins and small parts

SPECIAL EQUIPMENT

Floors

Interior partitions

Complete tarpaulins in PVC execution

Storm bracing

Lateral entrance



DESCRIPTION OF FRAME MATERIAL

Round tube made of anodized aluminum (40 x 1,5 mm)

Connector made of aluminum die-cast

DESCRIPTION OF TARPULIN MATERIAL

Cotton polyester, 50% cotton, 50% polyester

Area weight 420 g/m²

Tarpaulins manufactured according to DIN 18204

1. Stability

RÖDER guarantees a high level of stability on almost any terrain.

2. Plug connections

Easy installation by plug-in system, interior partitions can be installed with the grid

3. Die-cast aluminum connections

The original aluminium die-cast connections

4. Accessories

Bag system for safe and gentle way to transport

5. Special equipment

Exclusive accessories such as interior partitions and storm bracing

TECHNICAL FEATURES

DECADES OF EXPERIENCE

The RÖDER Group uses only the most qualified staff, the best materials and constantly draws on its decades of experience in the field of temporary accommodation – right from the very start of the construction and production process of the tent and marquee systems. We achieve high customer satisfaction through quality and safety. Continuous and reliable quality management means we can place our trust in the materials we use. The RÖDER Group is certified according to the European standards EN ISO 9001:2008 and EN ISO 14001:2009. All structures are calculated and tested in accordance with the European standard EN 13782.




SUSTAINABLE AND ECOLOGICAL

DURABLE AND HIGH-QUALITY



BENEFITS AND ADDED VALUE OVERVIEW

- EASY AND FAST INSTALLATION**
- LOW PACK-VOLUME AND PACKSACK**
- HIGH-QUALITY COTTON-POLYESTER TARPAULIN**
- QUALITY AND SAFETY CERTIFIED**
- ADAPTED TO NEEDS OF AID ORGANIZATIONS**
- ENGINEERED AND MADE IN GERMANY**
- ROBUST BY ALUMINIUM DIE-CAST CONNECTIONS**
- LIGHT WEIGHT HIGH STABILITY**
- EXCELLENT VALUE FOR MONEY**
- BREATHABLE AND ROTTING-RESISTANT**
- TENT ENTRANCE BOTH SIDES POSSIBLE**
- DURABLE AND HIGH QUALITY MATERIALS**
- DIVERSE APPLICATION POSSIBILITIES**
- FAST AND CHEAP SPARE PARTS SERVICE**
- FLEXIBLE AND MODULAR EQUIPMENT**
- TENTS OF THE SAME SPAN CAN BE CONNECTED**



ISO 9001:2008
ISO 14001:2009
REGISTERED FIRM

QUALITY MANAGEMENT

ENGINEERED IN GERMANY

IN ALL PROCESSES, WE ENSURE THAT THE HIGHEST QUALITY AND SAFETY STANDARDS ARE COMPLIED WITH IN ORDER TO PROTECT OUR CUSTOMERS AND TO OFFER THEM THE BEST-LOOKING PRODUCT WITH THE BEST MATERIALS. THIS IS WHY QUALITY, SAFETY AND DURABILITY ARE FIRM COMPONENTS OF RÖDER'S COMPANY CULTURE.

In order to optimise production and business processes and to maintain all safety guidelines so as to guarantee product quality and customer satisfaction, the RÖDER Group employs consistent, sustainable and thorough quality management. The concept of our quality management is based on internal and external input. All relevant processes are defined and documented – from the design phase, material selection and project planning right up to when the tent and marquee systems are given to the customers. As a high-end manufacturer, 'Engineered in Germany' and 'Made by RÖDER' is our promise of quality to our customers. Both our design expertise and quality management are therefore pivotal for the success of our products and trust of our customers.

The quality management systems, which are tested and certified in accordance with the European standards **EN ISO 9001:2008** and **EN ISO 14001:2009**, relate to the design, construction, production, sale and hiring out of RÖDER tent and marquee systems. In order to guarantee the quality promised by the RÖDER Group, all members of staff take part in regular external and internal training on quality and safety. All our temporary accommodation is inspected by TÜV in terms of construction, structure and the tarpaulins. In addition, the company receives external advice and supervision from Bavarian-based company inspectors, the **LGA (Landesgewerbeamt Bayern)**.

RÖDER WORLDWIDE

- Headquarters
- RÖDER subsidiary with its own production facilities and rental warehouse
- ◆ RÖDER subsidiary with its own rental warehouse
- ▲ RÖDER Sales office
- RÖDER Partner



GERMANY (HEADQUARTERS)

RÖDER
Zelt- und Veranstaltungsservice GmbH
Am Lautenstein, 63654 Büdingen
Fon + 49 60497000
Fax + 49 6049700339
info@roeder.com
www.roeder.com

1

ALGERIA (PARTNER)

ASTALAVISTA SARL
06, Rue Abd El Kader Guellati
Cinq Maisons, El Mohammadia,
Alger
Fon + 213 21525738
Fax + 213 21525737
info@roeder.com
www.astalavista-dz.com

2

ARGENTINA (PARTNER)

Roggerone SRL,
Av. Santa Fe 2665-1640 Martinez,
Pcia de Buenos Aires, Argentina
Fon + 54 1147925422
Fax + 54 1147934113
info@roeder.com
www.roggerone.com

3

AUSTRIA (SUBSIDIARY)

RÖDER Zelte Austria
Gartenstraße 30a
AT-4201 Gramstetten, Austria
Fon + 43 7239 70024
Fax + 43 7239 70024
info@roeder.com
www.roeder.com

4

AUSTRALIA (PARTNER)

H-Line Structures Australia
P.O. Box 8009, Toowoomba
AU-4350 Queensland, Australia
Fon + 61 754451300
Fax + 61 754458027
info@roeder.com
www.hlinestructures.com.au

5

CHILE (PARTNER)

Bodegajes Temporales Limitada
Patricia Viñuela 578-C
CL-Lampa Santiago, Chile
Fon + 56 27385638
Fax + 56 27385639
info@roeder.com
www.btcbodegajes.cl

6

CHINA-PEKING (SUBSIDIARY)

RÖDER Tent Service
(Beijing) CO., Ltd
Rm. 311 Sanchuan Dasha
3 Hepingli Xijie, Chaoyang Qu
100013 BEIJING, P. R. China
Fon + 86 10644055-71 | -72
Fax + 86 1064405219
info@roeder-china.com
www.roeder-china.com

7

CHINA-SHANGHAI (SUBSIDIARY)

RÖDER Tent Service
(Shanghai) CO., Ltd
No. 3978 Hu Qingping Road,
Qingpu district, CN-201703
Shanghai, China
Fon + 86 2151099228
Fax + 86 21398126 07
info@roeder-china.com
www.roeder-china.com

8

COLOMBIA (PARTNER)

Bodegajes Temporales Colombia S.A.S
Cr 7 71 Torre B floor 9
Bogotá, Colombia
Fon + 57 3115870731
celeon@btcbodegajes.com.co
www.btcbodegajes.cl

9

CZECH REPUBLIC (PARTNER)

Diamant Expo
Marie Kršňáková 119
403 17 Chabařovice, Czech Republic
Fon + 42 04752147934
Fax + 42 0475214793
info@roeder.com
www.roeder.cz

10

FINLAND (PARTNER)

Siirtohallit Oy
Puusepäntie 11
04360 Tuusula
Finland
Fon +35 8400913913
info@roeder.com
www.siirtohallit.fi

11

FRANCE (SUBSIDIARY)

RÖDER France SARL
ZI No. 2 - 28, Allée Monge
FR-60 000 Beauvais, France
Fon + 33 344028877
Fax + 33 344053926
info@roeder.fr
www.roeder.com

12

GREECE (PARTNER)

Con.Tent Ltd.
Kifissias Avenue 198
GR-15231 Halandra-Athens, Greece
Fon + 30 2106754720
Fax + 30 2106754722
info@roeder.com
www.con-tent.gr

13

HUNGARY (SUBSIDIARY)

RÖDER GmbH Magyarországi
Közvetlen Kereskedelmi, Képviselete
Széchenyi tér 21-23 III/6
HU-6900 Makó,
Hungary | Magyarország
Fon + 36 62212071
Fax + 36 62212071
info@roeder.com
www.roeder.hu

14

ITALY (SUBSIDIARY)

RÖDER Italia SRL
Via Stazione 27/a
IT-39042 Bressanone, Italy
Fon + 39 0472830939
Fax + 39 0472832909
info@roeder.com
www.roeder.com

15

MALAYSIA (PARTNER)

Sebsat Malaysia Sdn Bhd
Lot 50321, Jalan KPB 1,
Kawasan Perindustrian Budiman
Batu 10 3/4, 43200 Cheras, Selangor,
Malaysia
Fon + 60 390802640
Fax + 60 390801640
ceo_sebsat@yahoo.com
www.roeder.com

16

MOROCCO (PARTNER)

Grand Chapiteau
15, rue Oued Sebou Agdal
1000 Rabat - Maroc
Fon + 33 344028877
Fon + 33 344053926
info@roeder.fr
www.roeder.com

17

MEXICO (SUBSIDIARY)

Roeder de México S.A. de C.V.
Mariano Escobedo # 193
Torre Norte, Of. 1304
Col. Anáhuac I Secc.,
Del. Miguel Hidalgo C.P. 11320 - México D.F.
Fon + 52 7282823845
info@roeder.com
www.roeder.com.mx

18

NEW ZEALAND (PARTNER)

H-Line Structures
9A Taylor Rd
NZ-Papamoa, Bay of Plenty 3118,
New Zealand
Fon + 61 754451300
Fax + 61 754458027
info@roeder.com
www.hlinestructures.com.au

19

PERU (PARTNER)

Btp Almacenes S.A.C
Ricardo Palma 1250
Miraflores - Lima, Perú
Fon + 51 948902070
info@roeder.com
www.btcbodegajes.cl

20

ROMANIA (PARTNER)

Str. Buzesti Nr. 61, Et. 7,
Ap. 48-49, Sector 1,
RO-011013 Bukarest, Romania
Fon + 40 213110011
Fax + 40 213110011
info@roeder.com
www.roeder.ro

21

RUSSIAN FEDERATION (SUBSIDIARY)

RÖDER OOO
Solnechnogorskiy district,
Village Lunevo, Garazhnaya street
opposite No. 16
RU-141580 Moskau, Russia
Fon + 7 4957858157
Fax + 7 4957858158
roeder@roeder.ru
www.roeder.ru

22

SLOVENIA (PARTNER)

Expo Biro d.o.o.
Miklavška cesta 57
SL-2311 Hoce, Slovenia
Fon + 38 624805800
Fax + 38 62480580 20
info@roeder.com
www.expobiro.si

23

SPAIN (PARTNER)

Foro Técnico S.L., Orient 78-84
ES-08172 St. Cugat del Valles
Barcelona, Spain
Fon + 34 935441860
Fax + 34 935441861
info@roeder.com
www.forotec.com

24

SWEDEN (PARTNER)

One4Event AB
Hemgatan 2
SE-78473 Borlänge, Sweden
Fon + 46 243794360
Fax + 46 243794369
info@roeder.com
www.one4event.com

25

SWITZERLAND (SUBSIDIARY)

Orgatent AG
Gewerbe Badhus
CH-6022 Grosswangen,
Switzerland
Fon + 41 419804939
Fax + 41 419804919
info@orgatent.ch
www.orgatent.ch

26

TURKEY (SUBSIDIARY)

RÖDER Yapi Sistemleri
Sanayi Ticaret Ltd. Sti
Akasya Acıbadem
Çeçen Sokak, Kent Etabı A Kule Kat:18 D:62
TR-34660 Üsküdar/Istanbul, Turkey
Fon + 90 2163408910
Fax + 90 2163408915
info@roeder.com.tr
www.roeder.com.tr

27

UKRAINE (PARTNER)

Tent Plettac Ltd.
Plodova Str., 1
UA-4128 Kyiv, Ukraine
Fon + 38 0444000461
Fax + 38 0444222145
info@tent-plettac.com
www.tent-plettac.com

28

UNITED KINGDOM (SUBSIDIARY)

RÖDER UK Ltd.
Unit 16 Earith Business Park
Meadow Drove, Earith,
Cambridgeshire
GB-PE28 3QF, United Kingdom
Fon + 44 1487840840
Fax + 44 1487840843
sales@roederuk.com
www.roederuk.com

29

USA (PARTNER)

Anchor Industries Inc.
1100 Burch Dr., P.O. Box 3477 Evansville,
Indiana 47733, USA
Fon + 1 8128672421
Fax + 1 8128670547
info@roeder.com
www.anchorinc.com

30



**RÖDER ZELT- UND VERANSTALTUNGSSERVICE GMBH
AM LAUTENSTEIN, 63654 BÜDINGEN (GERMANY)**

**FON +49 6049 700 0
FAX +49 6049 700 339**

**INFO@RODER.COM
WWW.RODER.COM**



Mistakes, image errors, price alterations, technical modifications
and dimension discrepancies reserved.