

# T-TENTS



Chinese

**English**

French

German

Hungarian

Italian

Russian

Slovenian

Spanish

Turkish

---

mobile space solutions  
[www.roder.com](http://www.roder.com)

---




# RÖDER T-TENTS REQUIREMENTS & SOLUTIONS

1.125 m² USABLE AREA	3.600 m² USABLE AREA	405 m² USABLE AREA	1.950 m² USABLE AREA	300 m² USABLE AREA	4.000 m² USABLE AREA
21 Days TIME FRAME	28 Days TIME FRAME	14 Days TIME FRAME	24 Days TIME FRAME	5 Days TIME FRAME	14 Days TIME FRAME
360.200 PERSONS	218.000 PERSONS	9.000 PERSONS	150.00 PERSONS	10.000 PERSONS	8.000 PERSONS
15,0 x 75,0 m double-storey tent TENT TYPE	30,0 x 60,0 m Solution ATRIUM TENT TYPE	15,0 x 27,0 m Curve tent TENT TYPE	25,0 x 40,0 m Double storey TENT TYPE	5,0 x 5,0 m Curve tent ( 9 Pcs.) TENT TYPE	30,0 x 80,0 m Starship TENT TYPE
Terrace and balcony EQUIPMENT	Interior cladding EQUIPMENT	Substructure and terrace EQUIPMENT	Covered terrace, Interior cladding EQUIPMENT	Terrace floor EQUIPMENT	Interior cladding and terrace floor EQUIPMENT
CHIO Aachen	Biathlon world cup in Ruhpolding	WeinSensorium of the German wine institue	International tennis tournament BMW Open	Summer festival of the German president	Culture event in France







## » UNUSUAL AND CRAZY

The tent and hall systems RÖDER T-TENTS series stand out due to their shape, design and equipment. With flexible and modular spans, lengths and heights, the T-TENTS offer the ideal space solution for unusual requirements.



## RÖDER T-TENTS

### HANDSOME AND BRILLIANT

The ROEDER T-TENTS ring in a new League in the field of mobile and modular tent and hall systems. The extraordinary constructions and diverse fittings available enable the systems to be used and laid out in new ways. The space solutions combine the freedom, openness and elegance.

RÖDER T-TENTS are handsome and brilliant constructions for individualists. The systems' most convincing features are their looks, safety and price. Their flexible and modular span widths, lengths and heights allow them to be used in a variety of ways. Their unfailing mobility and well-designed construction mean that the systems can be assembled quickly and set up in almost any location within the shortest time.

In addition to the **starship**, **curve tent**, **double-storey**, **DOME** and **polygon** tent models, the RÖDER Group also offers a wide range of accessories for the interior and for expanding the tent. The accessories range from facade elements, speciality doors and entrances, various types of tarpaulins as well as floor, heating, air-conditioning and lighting systems – right up to individual furnishings.

Come and speak to us in person to find out which tent or marquee system best meets your requirements. The RÖDER team looks forward to helping you find the perfect accommodation!





## » WIDE RANGE OF USES

RÖDER T-TENTS offer space to plan and realize new ideas and projects. The modular design of the tent and marquee systems means they have the mobility and flexibility to adapt to spatial requirements.



### EINSATZMÖGLICHKEITEN

KICK-OFFS GALAS CONCERTS **HOSPITALITYS** VIP-EVENTS  
COMPANY EVENTS ANNIVERSARIES BARS TRADE SHOWS  
CORPORATE-EVENTS SALES PROMOTIONS EXHIBITIONS  
**PRODUKTPRESENTATIONS FAIRS**  
EVENTS SUMMEREVENTS GALERIEN ROADSHOWS  
FASHIONSHOWS CATERINGS CONFERENCES CONGRESSES  
CUSTOMER EVENTS RESTAURANTS **SALES ROOMS**  
THEATRE CLUBS **BUSINESS** ARCHITECTURE SHOWS  
CULTURE EVENTS SPORT EVENTS LOUNGE ENTERTAINMENT  
STAGING INCENTIVE EVENTS CIRCUS SHOWROOMS MEETINGS


## THE SYSTEM FOR INDIVIDUALISTS

The modular design of RÖDER T-TENTS is effective and efficient thanks to the wide range of possible uses. The tent and marquee systems offer the right accommodation for individual and extraordinary requirements and occasions.

## EFFECTIVE AND EFFICIENT







# » VARIED AND FORMABLE

RÖDER T-TENTS are the solution for challenging projects and requirements.



# CREATIVE AND STIMULATING







## » ONE PROFILE – VARIOUS MODELS

RÖDER T-TENTS are tailored tent and marquee constructions. They are available in the Starship, Curve tent, Double-storey and Polygon models.

## TENT VARIANTS

**1. Starship**

Spans  
20,0 m | 40,0 m  
30,0 m | 50,0 m

**2. Curve tent**

Spans  
4,0 m | 5,0 m  
12,5 m | 17,5 m

**3. Double-storey**


Spans  
10,0 m | 15,0 m  
20,0 m | 25,0 m | 30,0 m

**4. Polygon hall**

Spans  
18,0 m | 30,0 m | 36,0 m


**5. DOME**

Diameter  
6,2 m | 10,0 m  
14,2 m | 20,0 m | 30,0 m



**INFORMATION**

All types of tent are available with different side heights. The modular structure allows them to be expanded to the desired size. Individual span widths, lengths, side heights and extension bays can be ordered as extras. Detailed information is available on the technical data sheet on the following pages.




TECHNICAL DATA


STARSHIP

STANDARD VERSION		
Total span	4.050 cm	5.100 cm
Main nave span	2.000 cm	3.000 cm
Main nave side height	400 cm	400 cm
Ridge height	720 cm	887 cm
Roof pitch	18°	18°
Bay distance / grid	500 cm	500 cm
Longest component	1.061 cm	1.064 cm
Gable column	3	5
Main profile	250 x 120 x 5/4 mm	
Min. setup length	Depending on the design	
Max. setup length	Expandable with the grid	
Max. wind speed according to EN	100 km/h	
Variants	½ Octagonal at gable sides	½ Dodecagonal at gable sides
Floor	Cassette floor: Aluminium frame with non slip plywood or aluminum hollow plates	
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204	

2.000-4.050/400/720



3.000-5.100/400/887



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.




TECHNICAL DATA


CURVE TENT

STANDARD VERSION				
Span	400 cm	500 cm	1.250 cm	1.750 cm
Side height	230 cm	240 cm	300 cm	300 cm
Ridge height	373 cm	395 cm	640 cm	640 cm
Roof pitch	20°	25°	18°	18°
Bay distance / grid	300 cm	500 cm	300 cm	300 cm
Longest component	410 cm	540 cm	820 cm	820 cm
Main profile	94 x 48 x 3 mm	130 x 70 x 3 mm	220 x 100 x 3 mm	220 x 100 x 3 mm
Corner connections	Stem bolts		Sliding connection	
Min. setup length	300 cm	500 cm	1.200 cm	
Max. setup length	300 / 500 cm			
Max. windspeed according to EN	80 km/h			
Floor	Compact floor			
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204			

400/230/373 & 500/240/395



1.250/300/640 & 1.750/300/640



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.








TECHNICAL DATA

DOUBLE-STOREY TENT


STANDARD VERSION	
Spans	1.000 - 3.000 cm
Side height	415 cm
Bay distance / grid	500 cm
Main profile	285 x 124 x 5,2/7,5 mm
Traffic load on the stage	500 kg/m² = 5,0 kN/m²
Max. wind speed according to EN	100 km/h
Attachment option	Can be extended to any length and certain variants
Floor	<ul style="list-style-type: none"><li>• Wood floor with timber or steel-aluminum substructure</li><li>• Heavy-duty floor</li></ul>
Possibilites of Usage	The second level can be used with any complete or partial roof covering as well as a terrace
Hint	The types of tents that are built on the double-storey tent must be considered separately
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.






TECHNICAL  
DATA


POLYGON HALL

STANDARD VERSION				
Span	1.800 cm	3.000 cm	3.000 cm	3.600 cm
Side height	500 cm	400 cm	500 cm	646 cm
Ridge height	816 cm	1.050 cm	1.097 cm	1.377 cm
Bay distance / grid	500 cm	500 cm	500 cm	400 cm
Longest component	750 cm	840 cm	1.048 cm	1.352 cm
Gable column	5	5	5	9
Main profile	220 x 100 x 4 mm		285 x 124 x 7,5/5,2 mm	
Corner connections	Stem bolts			
Min. setup length	3.090 cm	2.000 cm	2.000 cm	3.200/3.605 cm
Max. setup length	Expandable with the grid			
Max. wind speed according to EN	100 km/h			
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204			


1.800/500/816



3.000/400/1.050 & 3.000/500/1.097




3.600/646/1.377



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.






TECHNICAL  
DATA


DOME 30 -150

STANDARD VERSION			
Diameter	626 cm	1.016 cm	1.422 cm
Height	392 cm	682 cm	812 cm
Exhibition space	29 m²	74 m²	156 m²
Circular entries	1 (3)	1 (3)	3
Upper vent	4	5	5
Mech. Ventilation Outlet	1	1	1
Circular windows	2	3	5
Weight	310 kg	480 kg	1.050 kg
Membrane weight	30 kg	120 kg	180 kg
Max. wind speed according to EN	100 km/h		
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204		


30



75




150



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.






TECHNICAL  
DATA


DOME 300 - 700

STANDARD VERSION		
Diameter	2.000 cm	3.000 cm
Height	1.018 cm	1.500 cm
Exhibition space	300 m²	700 m²
Circular entries	3	5
Upper Vents	5	5
Mech. Ventilation Outlet	3	5
Circular windows	3	5
Weight	2.000 kg	6.000 kg
Membrane Weight	250 kg	2.000 kg
Max. wind speed according to EN	100 km/h	
Tarpaulin	RÖDER No. 1, PVDF coated tarpaulin, according to DIN 18204	

300



700



QUESTIONS AND COMMENTS

We have provided you with a summary of the main data and measurements of our standard constructions. No guarantee can be made for the accuracy of the information given. We cannot be held liable for printing or spelling errors. We would be happy to meet with you personally to help you find the perfect accommodation to match your requirements. If you have any questions on further measurements, specialist constructions, extensions or remodeling, or if you require further technical data, the RÖDER team will be happy to help.



## DIFFERENTLY AND FASCINATING

### EQUIPMENT FEATURES

THE RÖDER T-TENTS CAN BE QUICKLY AND EASILY ASSEMBLED AND DISASSEMBLED BY STABLE AND SOLID CONNECTION ELEMENTS. THE WELL-DESIGNED COMBINATION OF SUPPORTING AND CONNECTING ELEMENTS GUARANTEES A PROVEN HIGH LEVEL OF STRUCTURAL STABILITY.

#### STARSHIP – REACHING FOR THE STARS

The Starship forms the tip of the atmospheric RÖDER T-TENTS. The unusual star-shaped design is created by the specially designed roof tarpaulins. The wide sweeping apse is suitable as a spacious outdoor terrace for all kinds of opulent events.

#### CURVE TENT – THE SPECIAL PRESENTATION

Characteristic of the RÖDER curve tents are the forward rounded roof and the high, beveled front facades. The design conveys a sense of space by spaciousness and freedom. Curve tents, like all members of the T-TENTS family can be quickly and easily assembled and disassembled by stable and solid connection elements.

#### DOUBLE-STOREY – DEPARTURE FOR NEW HORIZONS

Terraces, galleries or simply a second floor - with the double-storey system bunk solutions can be created for almost all RÖDER tent and hall systems. Technically, this is made possible by special connection adapter to the heavy-duty aluminum profiles.

#### POLYGON HALL – SPACE FOR TOUCHING MOMENTS

The RÖDER polygon hall convinces with its impressive height of up to 14 m and their long spans 18-56 m especially at sporting events. This way, outdoor sports facilities like tennis courts, swimming pools and volleyball courts can be easily converted into indoor sports centers.

#### DOME – EFFECTIVE IN SCENE SETTING

The RÖDER DOME is an extremely effective variation, realising the most different types of events. On account of anodized aluminium framework and tarpaulins manufactured from high-quality, PVC-coated polyester fabric the system is a visibly attractive, unique and impressive space concept.

## ATMOSPHERIC AND GENEROUSLY



The standard scope of delivery can be complemented by the flexible and modular tent and equipment components of RÖDER. In this way individual tent and hall worlds can be designed.



DURABLE AND  
HIGH-QUALITY



TECHNICAL FEATURES

DECADES OF EXPERIENCE

The RÖDER Group uses only the most qualified staff, the best materials and constantly draws on its decades of experience in the field of temporary accommodation – right from the very start of the construction and production process of the tent and marquee systems. We achieve high customer satisfaction through quality and safety. Continuous and reliable quality management means we can place our trust in the materials we use. The RÖDER Group is certified according to the European standards EN ISO 9001:2008 and EN ISO 14001:2009. All structures are calculated and tested in accordance with the European standard EN 13782.



1.



2.

1. Construction

The modular design principle allows various types of construction and expansion.

2. Equipment

RÖDER offers many exclusive types of facades and equipment to go with its tent and marquee systems.

3. Logistic

Specialist partners take on the task of transporting the tent and marquee systems. As a trusted and known dispatcher, RÖDER benefits from a fast-track customs clearance process. This guarantees a just-in-time availability worldwide.

4. Production

RÖDER production is respectful to both people and the environment – worldwide.



3.




4.

The anodised aluminium frame is equipped with highly secure profiles and has two- or four-channel keder technology. The sophisticated keder technology makes it possible to expand the tents in many different ways – using the modular design principle. The keder technology also provides protection against bad weather and storms. Highly secure aluminium alloys and galvanized steel guarantee a long-life hold.

RÖDER conducts the planning in line with the minimum quality standards laid down by the DIN 18204 product certification. The long-life RÖDER No.1 tarpaulins are equipped with polyester threads that have a special low-wick and PVDF coating. This increases their resistance against bad weather, prevents dirt building up on the surface and damp getting through. The tarpaulins are classified as ‘difficult to ignite’ by the standards DIN 4102 and EN 13501, are resistant against fungus and spores (fungicidal), and are UV-proof.

The tents guarantee easy handling as they are quick and easy to set up, do not take up much storage or transport space, and the highly secure aluminium profiles are lightweight. The installation and dismantling of the tents will not demand too much manpower or incur high costs.





# » EXPANSION OPTIONS

By combining with other RÖDER tent and hall systems as well as diverse and variable expansions, new opportunities for impressive space solutions arise.

## FULL-SERVICE



TARPAULINS & FACADE SYSTEMS



FLOOR SYSTEMS



STAIRS, BALCONIES, GALERIES & RAILINGS



SECURITY SYSTEMS



LIGHTING



KITCHEN & SANITARY INSTALLATIONS



INTERIOR, CLADDING & DECORATION



FENCE, SEPARATION & FLAG SYSTEMS

## DIVERSE AND VARIABLE



HEATING & AIR CONDITIONING SYSTEMS



DOOR & GATE SYSTEMS





ISO 9001:2008  
ISO 14001:2009  
REGISTERED FIRM

## QUALITY MANAGEMENT

### ENGINEERED IN GERMANY

IN ALL PROCESSES, WE ENSURE THAT THE HIGHEST QUALITY AND SAFETY STANDARDS ARE COMPLIED WITH IN ORDER TO PROTECT OUR CUSTOMERS AND TO OFFER THEM THE BEST-LOOKING PRODUCT WITH THE BEST MATERIALS. THIS IS WHY QUALITY, SAFETY AND DURABILITY ARE FIRM COMPONENTS OF RÖDER'S COMPANY CULTURE.

In order to optimise production and business processes and to maintain all safety guidelines so as to guarantee product quality and customer satisfaction, the RÖDER Group employs consistent, sustainable and thorough quality management. The concept of our quality management is based on internal and external input. All relevant processes are defined and documented – from the design phase, material selection and project planning right up to when the tent and marquee systems are given to the customers. As a high-end manufacturer, 'Engineered in Germany' and 'Made by RÖDER' is our promise of quality to our customers. Both our design expertise and quality management are therefore pivotal for the success of our products and trust of our customers.

The quality management systems, which are tested and certified in accordance with the **European standards EN ISO 9001:2008** and **EN ISO 14001:2009**, relate to the design, construction, production, sale and hiring out of RÖDER tent and marquee systems. In order to guarantee the quality promised by the RÖDER Group, all members of staff take part in regular external and internal training on quality and safety. All our temporary accommodation is inspected by TÜV in terms of construction, structure and the tarpaulins. In addition, the company receives external advice and supervision from Bavarian-based company inspectors, the **LGA (Landesgewerbeamt Bayern)**.





# » A SYSTEM WITH MORE OPTIONS

The RÖDER T-Tents series is the solution for unusual projects where more space and surface is required.

## SUSTAINABLE AND ECOLOGICAL



### BENEFITS AND ADDED VALUE OVERVIEW

- SLIDING CONNECTIONS
- MODULAR DESIGN
- RAPID AVAILABILITY
- ECONOMICAL
- SOLID AND SAFE CONNECTION ELEMENTS
- CALCULABLE STORAGE AND TRANSPORT COSTS
- EASY AND QUICK INSTALLATION
- EXPANDABLE BY GRID SYSTEM
- DIFFERENT SIDE COVERS
- FACADES AND FLOOR SYSTEMS
- EXCELLENT VALUE FOR MONEY
- EXCLUSIVE RECONSTRUCTION VARIANTS
- EXPERT ADVICE IN ALL PHASES OF THE PROJECT
- CERTIFIED QUALITY AND SAFETY
- FLEXIBLE AND MODULAR EQUIPMENT
- EXTENSIVE SERVICE AND SERVICE-SUPPLY OFFER
- DIVERSE APPLICATION POSSIBILITIES
- MANY YEARS OF EXPERTISE OF QUALIFIED EMPLOYEES
- ENGINEERED AND MADE IN GERMANY
- DURABLE AND HIGH QUALITY MATERIALS
- A TENT AND HALL SYSTEMS OF RÖDER



RÖDER WORLDWIDE

- Headquarters
- RÖDER subsidiary with its own production facilities and rental warehouse
- RÖDER subsidiary with its own rental warehouse
- RÖDER Sales office
- RÖDER Partner

GERMANY (HEADQUARTERS)

RÖDER  
Zelt- und Veranstaltungsservice GmbH  
Am Lautenstein, 63654 Büdingen  
Fon + 49 60497000  
Fax + 49 6049700339  
info@roder.com  
www.roder.com

1

ALGERIA (PARTNER)  
ASTALAVISTA SARL  
06, Rue Abd El Kader Guellati  
Cinq Maisons, El Mohammadia,  
Alger  
Fon + 213 21525738  
Fax + 213 21525737  
info@roder.com  
www.astalavista-dz.com

2

ARGENTINA (PARTNER)  
Roggerone SRL,  
Av. Santa Fé 2665-1640 Martinez,  
Pcia de Buenos Aires, Argentina  
Fon + 54 1147925422  
Fax + 54 1147934113  
info@roder.com  
www.roggerone.com

3

AUSTRIA (SUBSIDIARY)  
RÖDER Zelte Austria  
Gartenstraße 30a  
AT-4201 Gramastetten, Austria  
Fon + 43 7239 70024  
Fax + 43 7239 70024  
info@roder.com  
www.roder.com

4

AUSTRALIA (PARTNER)  
H-Line Structures Australia  
P.O. Box 8009, Toowoomba  
AU-4350 Queensland, Australia  
Fon + 61 754451300  
Fax + 61 754458027  
info@roder.com  
www.hlinestructures.com.au

5

CHILE (PARTNER)  
Bodegajes Temporales Limitada  
Patricia Viñuela 578-C  
CL-Lampa Santiago, Chile  
Fon + 56 27385638  
Fax + 56 27385639  
info@roder.com  
www.btcbodegajes.cl

6

CHINA-PEKING (SUBSIDIARY)  
RODER Tent Service  
(Beijing) CO., Ltd  
Rm. 311 Sanchuan Dasha  
3 Hepingli Xijie, Chaoyang Qu  
100013 BEIJING, P. R. China  
Fon + 86 10644055-71 | -72  
Fax + 86 1064405219  
info@roder-china.com  
www.roder-china.com

7

CHINA-SHANGHAI (SUBSIDIARY)  
RÖDER Tent Service  
(Shanghai) CO., Ltd  
No. 3978 Hu Qingping Road,  
Qingpu district, CN-201703  
Shanghai, China  
Fon + 86 2151099228  
Fax + 86 21398126 07  
info@roder-china.com  
www.roder-china.com

8

COLOMBIA (PARTNER)  
Bodegajes Temporales Colombia S.A.S  
Cr 7 71 Torre B floor 9  
Bogotá, Colombia  
Fon + 57 3115870731  
celeon@btcbodegajes.com.co  
www.btcbodegajes.cl

9

CZECH REPUBLIC (PARTNER)  
Diamant Expo  
Marie Kršňákové 119  
403 17 Chabařovice, Czech Republic  
Fon + 42 04752147934  
Fax + 42 0475214793  
info@roder.com  
www.roeder.cz

10

FINLAND (PARTNER)  
Siirtohallit Oy  
Puusepantie 11  
04360 Tuusula  
Finland  
Fon +35 8400913913  
info@roder.com  
www.siirtohallit.fi

11

FRANCE (SUBSIDIARY)  
RÖDER France SARL  
ZI No. 2 · 28, Allée Monge  
FR-60 000 Beauvais, France  
Fon + 33 344028877  
Fax + 33 344053926  
info@roder.fr  
www.roder.com

12

GREECE (PARTNER)  
Con.Tent Ltd.  
Kifissias Avenue 198  
GR-15231 Halandra-Athens, Greece  
Fon + 30 2106754720  
Fax + 30 2106754722  
info@roder.com  
www.con-tent.gr

13

HUNGARY (SUBSIDIARY)  
RÖDER GmbH Magyarországi  
Közvetlen Kereskedelmi, Képviselete  
Széchenyi tér 21-23 III/6  
HU-6900 Makó,  
Hungary | Magyarország  
Fon + 36 62212071  
Fax + 36 62212071  
info@roder.com  
www.roeder.hu

14

ITALY (SUBSIDIARY)  
RÖDER Italia SRL  
Via Stazione 27/a  
IT-39042 Bressanone, Italy  
Fon + 39 0472830939  
Fax + 39 0472832909  
info@roder.com  
www.roder.com

15

MALAYSIA (PARTNER)  
Sebsat Malaysia Sdn Bhd  
Lot 50321, Jalan KPb 1,  
Kawasan Perindustrian Budiman  
Batu 10 3/4, 43200 Cheras, Selangor,  
Malaysia  
Fon + 60 390802640  
Fax + 60 390801640  
ceo\_sebsat@yahoo.com  
www.roder.com

16

MOROCCO (PARTNER)  
Grand Chapiteau  
15, rue Oued Sebou Agdal  
1000 Rabat - Maroc  
Fon + 33 344028877  
Fon + 33 344053926  
info@roder.fr  
www.roder.com

17

MEXICO (SUBSIDIARY)  
Roeder de México S.A. de C.V.  
Mariano Escobedo # 193  
Torre Norte, Of. 1304  
Col. Anáhuac I Secc.,  
Del. Miguel Hidalgo C.P. 11320 - México D.F.  
Fon + 52 7282823845  
info@roder.com  
www.roder.com.mx

18

NEW ZEALAND (PARTNER)  
H-Line Structures  
9A Taylor Rd  
NZ-Papamoa, Bay of Plenty 3118,  
New Zealand  
Fon + 61 754451300  
Fax + 61 754458027  
info@roder.com  
www.hlinestructures.com.au

19

PERU (PARTNER)  
Btp Almacenes S.A.C  
Ricardo Palma 1250  
Miraflores – Lima, Perú  
Fon + 51 948902070  
info@roder.com  
www.btcbodegajes.cl

20

ROMANIA (PARTNER)  
Str. Buzesti Nr. 61, Et. 7,  
Ap. 48-49, Sector 1,  
RO-011013 Bukarest, Romania  
Fon + 40 213110011  
Fax + 40 213110011  
info@roder.com  
www.roeder.ro

21

RUSSIAN FEDERATION (SUBSIDIARY)  
RÖDER OOO  
Solnechnogorskiy district,  
Village Lunevo, Garazhnaya street  
opposite No. 16  
RU-141580 Moskau, Russia  
Fon + 7 4957858157  
Fax + 7 4957858158  
roder@roder.ru  
www.roder.ru

22

SLOVENIA (PARTNER)  
Expo Biro d.o.o.  
Miklavška cesta 57  
SL-2311 Hoce, Slovenia  
Fon + 38 624805800  
Fax + 38 62480580 20  
info@roder.com  
www.expobiro.si

23

SPAIN (PARTNER)  
Foro Técnico S.L., Orient 78-84  
ES-08172 St. Cugat del Valles  
Barcelona, Spain  
Fon + 34 935441860  
Fax + 34 935441861  
info@roder.com  
www.forotec.com

24

SWEDEN (PARTNER)  
One4Event AB  
Hemgatan 2  
SE-78473 Borlänge, Sweden  
Fon + 46 243794360  
Fax + 46 243794369  
info@roder.com  
www.one4event.com

25

SWITZERLAND (SUBSIDIARY)  
Orgatent AG  
Gewerbe Badhus  
CH-6022 Grosswangen,  
Switzerland  
Fon + 41 419804939  
Fax + 41 419804919  
info@orgatent.ch  
www.orgatent.ch

26

TURKEY (SUBSIDIARY)  
RÖDER Yapi Sistemleri  
Sanayi Ticaret Ltd. Sti  
Akasya Acıbadem  
Çeçen Sokak, Kent Etabı A Kule Kat:18 D:62  
TR-34660 Üsküdar/Istanbul, Turkey  
Fon + 90 2163408910  
Fax + 90 2163408915  
info@roder.com.tr  
www.roder.com.tr

27

UKRAINE (PARTNER)  
Tent Plettac Ltd.  
Plodova Str., 1  
UA-4128 Kyiv, Ukraine  
Fon + 38 0444000461  
Fax + 38 0444222145  
info@tent-plettac.com  
www.tent-plettac.com

28

UNITED KINGDOM (SUBSIDIARY)  
RÖDER UK Ltd.  
Unit 16 Earith Business Park  
Meadow Drove, Earith,  
Cambridgeshire  
GB-PE28 3QF, United Kingdom  
Fon + 44 1487840840  
Fax + 44 1487840843  
sales@roderuk.com  
www.roderuk.com

29

USA (PARTNER)  
Anchor Industries Inc.  
1100 Burch Dr., P.O. Box 3477 Evansville,  
Indiana 47733, USA  
Fon + 1 8128672421  
Fax + 1 8128670547  
info@roder.com  
www.anchorinc.com

30

19



---

**RÖDER ZELT- UND VERANSTALTUNGSSERVICE GMBH**  
**AM LAUTENSTEIN, 63654 BÜDINGEN (GERMANY)**

**FON +49 6049 700 0**  
**FAX +49 6049 700 339**

**INFO@RODER.COM**  
**WWW.RODER.COM**

